

Infosys Testing Interview Guide

Comprehensive Interview Questions & Answers

Infosys interview questions for 3-6 years of experience (2025 Edition)

SECTION 1: MANUAL TESTING — Detailed Answers

1. Explain SDLC & STLC.

SDLC defines how software is planned, developed & maintained.

Phases include: Requirement → Design → Development → Testing → Deployment → Maintenance.

STLC defines steps in testing: Requirement Analysis → Test Planning → Test Design → Environment Setup → Test Execution → Defect Reporting → Test Closure.

Key point: "SDLC focuses on building the product, STLC focuses on validating it."

2. What is Risk-Based Testing?

Risk-Based Testing prioritizes test scenarios based on:

- Business impact
- Probability of failure
- Complexity
- Dependency on other systems

Example: In a payment module, I prioritize card payment verification over UI alignment because financial loss risk is higher.

3. Explain Defect Life Cycle.

New → Open → Assigned → In Progress → Fixed → Retest → Reopen/Closed → Deferred/Rejected

4. Severity vs Priority — real scenario.

High Severity, Low Priority: Broken privacy policy link- The link to the privacy policy is broken and not working, which is a serious functional issue (high severity). However, since very few users click on this link, it can be addressed later (low priority).

Low Severity, High Priority: Client logo incorrect on homepage.

5. What is RTM and why is it needed?

RTM ensures all requirements → mapped to → test cases → defects.

It guarantees:

- 100% coverage
- No missed requirement
- Traceability during audits (important in Infosys projects)

6. Boundary Value Analysis Example

Input field accepts 1–100

Test values: 1, 100 (valid) and 0, 101 (invalid).

7. Entry & Exit Criteria

Entry: Requirements approved, test data prepared, environment ready.

Exit: No critical/severe defects open, all planned tests executed, traceability complete.

8. Root Cause Analysis Example

Issue: Incorrect total amount on invoice.

RCA: Tax percentage was taken from outdated config table.

9. Flaky Test Handling

Flaky tests = tests that fail randomly even when nothing is wrong.

Common Causes

- Timing issues / wait problems
- Dependency on environment
- Network delays
- Unstable locators (XPath/CSS)

Infosys Expects You to Mention

- Using Explicit/Fluent waits
- Improving element locators
- Running tests in stable environments
- Retry mechanisms (TestNG retry analyzer)
- Logging and screenshots

10. KYC Edge Case Testing

Infosys's BFSI clients heavily depend on KYC flows.

They expect strong testing of:

KYC Edge Cases

- Invalid PAN / Aadhaar formats
- Document blurred / rotated / cropped
- Mismatch in name between documents
- Expired ID proofs
- Duplicate KYC attempts
- Rate limits for API calls (e.g., too many OTP attempts)
- Validating API error messages
- Testing OCR accuracy for documents

- Negative test cases for identity mismatch

SECTION 2: AUTOMATION TESTING (SELENIUM + JAVA) — Detailed Answers

1. Explain your automation framework.

A typical Infosys answer:

Hybrid framework with:

- Page Object Model
- TestNG for execution
- Maven for dependency
- JSON/Excel for test data
- Log4j2 for logging
- Extent Reports for reporting
- Jenkins/Azure DevOps for CI/CD

2. Selenium 4 vs Selenium 5

Better Chrome DevTools Protocol integration

Native relative locators

Improved window & tab handling

Enhanced grid performance

Selenium 5 is more cloud-native

3. Handling dynamic elements

I use:

- Explicit wait (WebDriverWait)
- XPath with contains()
- JavaScript executor

- Stable locators like accessibility id/ARIA

4. Parallel execution in TestNG

Using:

parallel="methods" or parallel="tests" in XML.

5. Logging & Reporting

Log4j2 → captures detailed logs **Extent Reports** → screenshots, step logs, environment details

SECTION 3: API TESTING — Detailed Answers

1. PUT vs PATCH vs POST

POST → create a new resource **PUT** → replace the entire resource **PATCH** → update part of the resource

2. Idempotent methods

Calling the API multiple times returns same result:

GET, PUT, DELETE.

3. Schema Validation

Used to validate response structure using

```
java
given()
.when().get(url)
.then().assertThat().body(matchesJsonSchemaInClasspath("schema.json"));
```

4. Throttling / Rate Limit Testing

I repeatedly hit API in a loop to verify:

- 429 Too Many Requests

- Rate-limit header values
- Retry-after behavior

5. Contract Testing

Infosys uses Pact / Pactflow.

It ensures Provider & Consumer both follow agreed API structure.

6. API Authentication (Auth)

Infosys often checks whether you understand how APIs stay secure.

They expect you to explain:

Common Types of API Authentication

- **API Key** → Simple token passed in headers
- **Bearer Token** → Encrypted access token
- **OAuth 2.0** → Widely used for user-based access (Google, Microsoft login)
- **JWT (JSON Web Token)** → Signed token containing user info, expiry, scope

What They Want to Hear

- How to pass tokens in Postman?
- How token expiry is handled?
- How you validate authenticated APIs?
- Negative tests → expired token, invalid signature, missing authorization header

7. API Rate Limiting

Key Points

- Rate limits protect APIs from overuse (e.g., 100 requests/minute)
- Used to prevent DDoS, traffic spikes, bot attacks

- Response codes:
 - 429 – Too Many Requests
 - Retry-After headers

How to Answer Explain how to test:

- Burst traffic scenarios
- Continual load over time
- Validating correct 429 responses
- Retrying after "Retry-After" cooldown

SECTION 4: DATABASE TESTING — Detailed Answers

1. Find 2nd highest salary without LIMIT

```
sql  
  
SELECT MAX(salary)  
FROM employees  
WHERE salary < (SELECT MAX(salary) FROM employees);
```

2. How to test stored procedures?

- Validate input/output parameters
- Validate business logic
- Test exception handling
- Compare output with expected DB state

3. Data Migration Testing

I compare:

- Count check

- Column-by-column validation
- Nullability/constraints
- Referential integrity

SECTION 5: MOBILE TESTING — Detailed Answers

1. Native vs Hybrid vs Web Apps

Native – built for OS (Android/iOS) **Hybrid** – wrapped web views **Web** – mobile browser-based

2. How do you test gestures?

Using Appium Touch Actions:

Swipe → scroll → tap → pinch → long press.

3. Common mobile defects

- App crashes
- Slow response
- Memory leaks
- Broken UI on different resolutions
- Push notification issues

SECTION 6: WEB APPLICATION TESTING — Detailed Answers

1. How do you test a scalable web application?

I check:

- Load & stress handling
- Session management
- Caching behavior

- API response time
- DB connection pooling
- Failover & recovery under load

2. Explain cookies, sessions & tokens.

Cookies – stored in browser (client side) **Sessions** – stored on server, mapped to a session ID **Tokens (JWT/OAuth)** – encrypted authentication, stateless, modern apps use this

3. Accessibility Testing

I check:

- Screen reader compatibility
- Alt text for images
- Keyboard navigation
- Contrast ratio
- ARIA labels

Tools: AXE, Lighthouse.

4. CSRF & XSS Testing

XSS: Enter alert(1) in fields to check JS injection. **CSRF:** Use modified tokens/invalid tokens to test unauthorized actions.

SECTION 7: AGILE — Detailed Answers

1. Explain Scrum ceremonies.

- **Daily Standup** → 15 mins
- **Sprint Planning** → capacity + story selection
- **Grooming** → refine stories
- **Sprint Review** → demo

- **Retro** → discuss improvements

2. Handling last-minute changes

I evaluate:

- Impact on testing
- Scope change
- Effort
- Dependency

Then I update test plan + communicate risks early.

SECTION 8: HR + BEHAVIORAL — Detailed Answers

1. High-impact defect you found

"I identified a defect in payment rounding logic which caused incorrect tax calculation. Fixing it prevented financial losses during month-end billing."

2. Conflict resolution example

"A dev disagreed with a defect classification; I reproduced the issue with logs + video, and we mutually agreed on RCA."

3. Why Infosys?

- Strong QA practice
- Opportunity to work on enterprise-level projects
- Continuous learning culture
- Global exposure

4. How do you handle pressure?

- Prioritize tasks based on impact

- Collaborate closely with dev/BA
- Use checklists
- Focus on quality, not just speed